L3 ANSWER 1 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 461384-91-8 REGISTRY

CN L-Glutamic acid, 5-[(3bS,4aS,5aR,6R,6aS,7aS,7bS,8aS,8bS)1,3,3b,4,4a,6,6a,7a,7b,8b,9,10-dodecahydro-8b-methyl-6a-(1-methylethyl)1-oxotrisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-6-yl] ester (9CI)
(CA INDEX NAME)

## OTHER NAMES:

CN PG 661

FS STEREOSEARCH

MF C25 H31 N O9

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 2 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 461384-90-7 REGISTRY

CN Aspartic acid, N-[(phenylmethoxy)carbonyl]-, 1[(3bS,4aS,5aR,6R,6aS,7aS,7bS,8aS,8bS)-1,3,3b,4,4a,6,6a,7a,7b,8b,9,10dodecahydro-8b-methyl-6a-(1-methylethyl)-1-

oxotrisoxireno[4b,5:6,7:8a,9]ph

enanthro[1,2-c]furan-6-yl] 4-(phenylmethyl) ester (9CI) (CA INDEX NAME) OTHER NAMES:

CN PG 659

FS STEREOSEARCH

MF C39 H41 N O11

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

ANSWER 3 OF 50 REGISTRY COPYRIGHT 2003 ACS L3

461384-89-4 REGISTRY RN

Glutamic acid, N-[(phenylmethoxy)carbonyl]-, 1-CN [(3bS,4aS,5aR,6R,6aS,7aS,7bS,8aS,8bS)-1,3,3b,4,4a,6,6a,7a,7b,8b,9,10dodecahydro-8b-methyl-6a-(1-methylethyl)-1-

oxotrisoxireno[4b,5:6,7:8a,9]ph

enanthro[1,2-c]furan-6-yl] 5-(phenylmethyl) ester (9CI) (CA INDEX NAME) OTHER NAMES:

PG 657 CN

STEREOSEARCH FS

MF C40 H43 N O11

CA SR

CA, CAPLUS, TOXCENTER, USPATFULL STN Files: LC

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 4 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 461384-88-3 REGISTRY

CN D-Glutamic acid, N-[(phenylmethoxy)carbonyl]-, 5[(3bS,4aS,5aR,6R,6aS,7aS,7bS,8aS,8bS)-1,3,3b,4,4a,6,6a,7a,7b,8b,9,10dodecahydro-8b-methyl-6a-(1-methylethyl)-1-

oxotrisoxireno[4b,5:6,7:8a,9]ph

enanthro[1,2-c]furan-6-yl] 1-(phenylmethyl) ester (9CI) (CA INDEX NAME) OTHER NAMES:

CN PG 660

FS STEREOSEARCH

MF C40 H43 N O11

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 5 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 461384-87-2 REGISTRY

CN L-Glutamic acid, N-[(1,1-dimethylethoxy)carbonyl]-, 1-(1,1-

dimethylethyl)

5-[(3bS, 4aS, 5aR, 6R, 6aS, 7aS, 7bS, 8aS, 8bS)-1, 3, 3b, 4, 4a, 6, 6a, 7a, 7b, 8b, 9, 10-dodecahydro-8b-methyl-6a-(1-methylethyl)-1-

oxotrisoxireno[4b,5:6,7:8a,9]ph

enanthro[1,2-c]furan-6-yl] ester (9CI) (CA INDEX NAME)

#### OTHER NAMES:

CN PG 658

FS STEREOSEARCH

MF C34 H47 N O11

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

- 1 REFERENCES IN FILE CA (1962 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

ANSWER 6 OF 50 REGISTRY COPYRIGHT 2003 ACS L3

460732-26-7 REGISTRY RN

L-Aspartic acid, N-[(1,1-dimethylethoxy)carbonyl]-, 4-(1,1-CN

dimethylethyl)

1-[(3bs, 4as, 5aR, 6R, 6as, 7as, 7bs, 8as, 8bs)-1,3,3b,4,4a,6,6a,7a,7b,8b,9,10dodecahydro-8b-methyl-6a-(1-methylethyl)-1-

oxotrisoxireno[4b,5:6,7:8a,9]ph

enanthro[1,2-c]furan-6-yl] ester (9CI) (CA INDEX NAME)

### OTHER NAMES:

PG 664 CN

STEREOSEARCH FS

C33 H45 N O11 MF

SR CA

CA, CAPLUS, TOXCENTER, USPATFULL STN Files: LC

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 7 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 457914-14-6 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one, 6-(acetyloxy)-3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-8b-methyl-6a-(1-methylethyl)-, (3bS,4aS,5aR,6R,6aS,7aS,7bS,8aS,8bS)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C22 H26 O7

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

ANSWER 8 OF 50 REGISTRY COPYRIGHT 2003 ACS L3

457914-13-5 REGISTRY RN

Morpholine, 4-[[(1aS,2R,2aR,3aS,4aS,8aS,8bS,9aS,9bS)-2-(acetyloxy)-5-CN formyldodecahydro-8a-methyl-1a-(1-methylethyl)phenanthro[2,3-b:4,4ab':10,10a-b'']trisoxiren-6-yl]carbonyl]- (9CI) (CA INDEX NAME)

STEREOSEARCH FS

C26 H35 N O8 MF

CA SR

STN Files: CA, CAPLUS, TOXCENTER LC

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 9 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 457914-12-4 REGISTRY

CN Morpholine, 4-[[(1aS,2R,2aR,3aS,4aS,8aS,8bS,9aS,9bS)-2-(acetyloxy)-5-[[[(1,1-dimethylethyl)dimethylsilyl]oxy]methyl]-

1a, 2, 3a, 4, 4a, 7, 8, 8a, 9a, 9b-

decahydro-8a-methyl-1a-(1-methylethyl)phenanthro[2,3-b:4,4a-b':10,10a-b'']trisoxiren-6-yl]carbonyl]- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C32 H49 N O8 Si

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

ANSWER 10 OF 50 REGISTRY COPYRIGHT 2003 ACS L3

457914-11-3 REGISTRY RN

Morpholine, 4-[[(1aS,2R,2aR,3aS,4aS,8aS,8bS,9aS,9bS)-2-(acetyloxy)-CN 1a, 2, 3a, 4, 4a, 7, 8, 8a, 9a, 9b-decahydro-5-(hydroxymethyl)-8a-methyl-1a-(1methylethyl)phenanthro[2,3-b:4,4a-b':10,10a-b'']trisoxiren-6-

yl]carbonyl]-

(9CI) (CA INDEX NAME)

STEREOSEARCH FS

C26 H35 N O8 MF

CA SR

STN Files: CA, CAPLUS, TOXCENTER LC

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 11 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 457914-06-6 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-6-ol, 3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-8b-methyl-6a-(1-methylethyl)-1-(4-morpholinyl)-, acetate (ester), (3bS,4aS,5aR,6R,6aS,7aS,7bS,8aS,8bS)-(9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C26 H33 N O7

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 12 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 260246-85-3 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one,
3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-8b-methyl-6a-(1-methylethyl)-6(phenylmethoxy)-, (3bS,4aS,5aR,6R,6aS,7aS,7bS,8aS,8bS)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C27 H30 O6

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1962 TO DATE)

```
ANSWER 13 OF 50 REGISTRY COPYRIGHT 2003 ACS
L3
```

260246-84-2 REGISTRY RN

Phenanthro[2,3-b:4,4a-b':10,10a-b'']trisoxirene-6-carboxylic acid, CN 2-(acetyloxy)-5-[(acetyloxy)methyl]-1a,2,3a,4,4a,7,8,8a,9a,9b-decahydro-

8amethyl-la-(1-methylethyl)-, 2-(4-morpholinyl)ethyl ester, (las, 2R, 2aR, 3as, 4as, 8as, 8bs, 9as, 9bs) - (9CI) (CA INDEX NAME)

STEREOSEARCH FS

C30 H41 N O10 MF

SR CA

STN Files: CA, CAPLUS, TOXCENTER, USPATFULL LC

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1962 TO DATE)

ANSWER 14 OF 50 REGISTRY COPYRIGHT 2003 ACS L3

260246-83-1 REGISTRY RN

Pentanedioic acid, mono[(3bS, 4aS, 5aR, 6R, 6aS, 7aS, 7bS, 8aS, 8bS)-6-CN (acetyloxy)-

3b, 4, 4a, 6, 6a, 7a, 7b, 8b, 9, 10-decahydro-8b-methyl-6a-(1-

methylethyl)trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1-yl]

ester,

compd. with 2-amino-2-(hydroxymethyl)-1,3-propanediol (1:1) (9CI) INDEX NAME)

OTHER CA INDEX NAMES:

1,3-Propanediol, 2-amino-2-(hydroxymethyl)-,

(3bS, 4aS, 5aR, 6R, 6aS, 7aS, 7bS, 8

aS,8bS)-6-(acetyloxy)-3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-8b-methyl-6a-(1-

methylethyl)trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1-yl pentanedioate (salt) (9CI)

STEREOSEARCH FS

C27 H32 O10 . C4 H11 N O3 MF

SR

STN Files: CA, CAPLUS, TOXCENTER, USPATFULL LC

CM 1

260246-82-0 CRN

C27 H32 O10 CMF

Absolute stereochemistry.

2 CM

77-86-1 CRN

C4 H11 N O3 CMF

2 REFERENCES IN FILE CA (1962 TO DATE)

```
L3 ANSWER 15 OF 50 REGISTRY COPYRIGHT 2003 ACS
```

RN 260246-82-0 REGISTRY

CN Pentanedioic acid, mono[(3bS,4aS,5aR,6R,6aS,7aS,7bS,8aS,8bS)-6-

(acetyloxy)-

3b, 4, 4a, 6, 6a, 7a, 7b, 8b, 9, 10-decahydro-8b-methyl-6a-(1-methylethyl)trisoxireno[4b, 5:6, 7:8a, 9]phenanthro[1, 2-c]furan-1-yl] ester (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C27 H32 O10

CI COM

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1962 TO DATE)

```
L3 ANSWER 16 OF 50 REGISTRY COPYRIGHT 2003 ACS
```

RN 195883-11-5 REGISTRY

CN L-Lysine, mono[[3bS-

(3b.alpha., 4a.alpha., 5aS\*, 6.beta., 6a.beta., 7a.beta., 7b.alpha., 8aR\*, 8b.beta.) -1, 3, 3b, 4, 4a, 6, 6a, 7a, 7b, 8b, 9, 10-dodecahydro-8b-methyl-6a-(1-methylethyl)-1-oxotrisoxireno[4b, 5:6, 7:8a, 9] phenanthro[1, 2-c] furan-6-yl butanedioate] (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Butanedioic acid, mono[1,3,3b,4,4a,6,6a,7a,7b,8b,9,10-dodecahydro-8b-methyl-6a-(1-methylethyl)-1-oxotrisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-6-yl] ester, [3bS-

(3b.alpha.,4a.alpha.,5aS\*,6.beta.,6a.beta.,7a.be ta.,7b.alpha.,8aR\*,8b.beta.)]-, compd. with L-lysine (1:1) (9CI) OTHER NAMES:

CN YM 276

FS STEREOSEARCH

MF C24 H28 O9 . C6 H14 N2 O2

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL

CM 1

CRN 195883-06-8 CMF C24 H28 O9

Absolute stereochemistry.

CM 2

CRN 56-87-1 CMF C6 H14 N2 O2

Absolute stereochemistry.

1 REFERENCES IN FILE CA (1962 TO DATE)

```
L3 ANSWER 17 OF 50 REGISTRY COPYRIGHT 2003 ACS
```

RN 195883-09-1 REGISTRY

CN Butanedioic acid, mono[(3bS,4aS,5aR,6R,6aS,7aS,7bS,8aS,8bS)-1,3,3b,4,4a,6,6a,7a,7b,8b,9,10-dodecahydro-8b-methyl-6a-(1-methylethyl)-

oxotrisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-6-yl] ester, sodium salt (9CI) (CA INDEX NAME)

## OTHER CA INDEX NAMES:

CN Butanedioic acid, mono[1,3,3b,4,4a,6,6a,7a,7b,8b,9,10-dodecahydro-8b-methyl-6a-(1-methylethyl)-1-oxotrisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-6-yl] ester, sodium salt, [3bS-

(3b.alpha., 4a.alpha., 5aS\*, 6.beta., 6 a.beta., 7a.beta., 7b.alpha., 8aR\*, 8b.beta.)]-

# OTHER NAMES:

CN PG 490-88

CN YM 274

FS STEREOSEARCH

MF C24 H28 O9 . Na

SR CA

1-

LC STN Files: BIOSIS, CA, CAPLUS, DRUGNL, DRUGUPDATES, SYNTHLINE, TOXCENTER, USPATFULL

CRN (195883-06-8)

Absolute stereochemistry.

Na

7 REFERENCES IN FILE CA (1962 TO DATE)

ANSWER 18 OF 50 REGISTRY COPYRIGHT 2003 ACS L3

195883-07-9 REGISTRY RN

Butanedioic acid, mono[1,3,3b,4,4a,6,6a,7a,7b,8b,9,10-dodecahydro-8b-CN methyl-6a-(1-methylethyl)-1-oxotrisoxireno[4b,5:6,7:8a,9]phenanthro[1,2c]furan-6-yl] ester, [3bS-

(3b.alpha., 4a.alpha., 5aS\*, 6.beta., 6a.beta., 7a.be ta.,7b.alpha.,8aR\*,8b.beta.)]-, compd. with 2-amino-2-(hydroxymethyl)-1,3-

propanediol (1:1) (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

1,3-Propanediol, 2-amino-2-(hydroxymethyl)-, [3bS-

(3b.alpha., 4a.alpha., 5aS\*, 6.beta., 6a.beta., 7a.beta., 7b.alpha., 8aR\*, 8b.beta .)]-1,3,3b,4,4a,6,6a,7a,7b,8b,9,10-dodecahydro-8b-methyl-6a-(1methylethyl)-1-oxotrisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-6-yl butanedioate (salt) (9CI)

OTHER NAMES:

YM 273 CN

STEREOSEARCH FS

C24 H28 O9 . C4 H11 N O3 MF


SR

STN Files: CA, CAPLUS, SYNTHLINE, TOXCENTER, USPATFULL LC

CM 1

195883-06-8 CRN C24 H28 O9 CMF

Absolute stereochemistry.



2 CM

CRN 77-86-1 C4 H11 N O3 CMF

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 19 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 195883-06-8 REGISTRY

CN Butanedioic acid, mono[(3bS,4aS,5aR,6R,6aS,7aS,7bS,8aS,8bS)-1,3,3b,4,4a,6,6a,7a,7b,8b,9,10-dodecahydro-8b-methyl-6a-(1-methylethyl)-

oxotrisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-6-yl] ester (9CI)

(CA

INDEX NAME)

OTHER CA INDEX NAMES:

CN Butanedioic acid, mono[1,3,3b,4,4a,6,6a,7a,7b,8b,9,10-dodecahydro-8b-methyl-6a-(1-methylethyl)-1-oxotrisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-6-yl] ester, [3bS-

(3b.alpha., 4a.alpha., 5aS\*, 6.beta., 6a.beta., 7a.beta., 7b.alpha., 8aR\*, 8b.beta.)]-

OTHER NAMES:

CN YM 262

FS STEREOSEARCH

MF C24 H28 O9

CI COM

SR CA

LC STN Files: CA, CAPLUS, DRUGUPDATES, SYNTHLINE, TOXCENTER, USPATFULL

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

4 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 20 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 173293-38-4 REGISTRY

CN Triptolide, 2-hydroxy-, 14-acetate, (2.beta.)- (9CI) (CA INDEX NAME)

FS STEREOSEARCH

MF C22 H26 O8

SR CA

LC STN Files: CA, CAPLUS

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 21 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 167467-56-3 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one,
3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6-hydroxy-6a-(2-hydroxy-1methylethyl)-8b-methyl-, (3bS,4aS,5aS,6R,6aR,7aS,7bS,8aS,8bS)- (9CI)

(CA

INDEX NAME)

OTHER CA INDEX NAMES:

CN Triptolide, 16-hydroxy-

OTHER NAMES:

CN Tripterygin


CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one, 3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6-hydroxy-6a-(2-hydroxy-1-methylethyl)-8b-methyl-, [3bS-

(3b.alpha., 4a.alpha., 5aR\*, 6.beta., 6a.beta., 7 a.beta., 7b.alpha., 8aR\*, 8b.beta.)]-[partial]-

MF C20 H24 O7

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERÈNCES IN FILE CA (1962 TO DATE)

L3 ANSWER 22 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 160625-93-4 REGISTRY

CN Triptolide, 16-hydroxy-, (15S)-, mixt. with (E)-6-(1,3-d)

hydroxy-6-

methoxy-7-methyl-3-oxo-5-isobenzofuranyl)-4-methyl-4-hexenoic acid (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 4-Hexenoic acid, 6-(1,3-dihydro-4-hydroxy-6-methoxy-7-methyl-3-oxo-5-isobenzofuranyl)-4-methyl-, (E)-, mixt. contg. (9CI)

FS STEREOSEARCH

MF C20 H24 O7 . C17 H20 O6

CI MXS

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER

CM 1

CRN 139713-80-7 CMF C20 H24 O7

Absolute stereochemistry.

CM 2

CRN 24280-93-1 CMF C17 H20 O6

Double bond geometry as shown.

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 23 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 160625-92-3 REGISTRY

CN Rapamycin, mixt. with (15S)-16-hydroxytriptolide (9CI) (CA INDEX NAME) OTHER CA INDEX NAMES:

CN Triptolide, 16-hydroxy-, (15S)-, mixt. contg. (9CI)

FS STEREOSEARCH

MF C51 H79 N O13 . C20 H24 O7

CI MXS

SR CA

LC STN Files: CA, CAPLUS, DRUGPAT, DRUGUPDATES, TOXCENTER

CM 1

CRN 139713-80-7

CMF C20 H24 O7

## Absolute stereochemistry.

CM 2

CRN 53123-88-9

CMF C51 H79 N O13

Absolute stereochemistry.

Double bond geometry as shown.

PAGE 2-A

À۰

- 1 REFERENCES IN FILE CA (1962 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

L3 ANSWER 24 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 160625-91-2 REGISTRY

CN L-Glutamic acid, N-[4-[[(2,4-diamino-6-

pteridinyl)methyl]methylamino]benzo

yl]-, mixt. with (15S)-16-hydroxytriptolide (9CI) (CA INDEX NAME) OTHER CA INDEX NAMES:

CN Triptolide, 16-hydroxy-, (15S)-, mixt. contg. (9CI)

FS STEREOSEARCH

MF C20 H24 O7 . C20 H22 N8 O5

CI MXS

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER

CM 1

CRN 139713-80-7 CMF C20 H24 O7

Absolute stereochemistry.

CM 2

CRN 59-05-2

CMF C20 H22 N8 O5

Absolute stereochemistry.

1 REFERENCES IN FILE CA (1962 TO DATE)

ANSWER 25 OF 50 REGISTRY COPYRIGHT 2003 ACS L3

160625-90-1 REGISTRY RN

Triptolide, 16-hydroxy-, (15S)-, mixt. with 6-[(1-methyl-4-nitro-1H-CN imidazol-5-yl)thio]-1H-purine (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

1H-Purine, 6-[(1-methyl-4-nitro-1H-imidazol-5-yl)thio]-, mixt. contg. CN (9CI)

STEREOSEARCH FS

C20 H24 O7 . C9 H7 N7 O2 S MF

MXS CI

SR CA

STN Files: CA, CAPLUS, TOXCENTER LC

> CM 1

CRN 139713-80-7 CMF C20 H24 O7

Absolute stereochemistry.

2 CM

CRN 446-86-6 CMF C9 H7 N7 O2 S

1 REFERENCES IN FILE CA (1962 TO DATE)

```
L3 ANSWER 26 OF 50 REGISTRY COPYRIGHT 2003 ACS
```

RN 160625-89-8 REGISTRY

CN Triptolide, 16-hydroxy-, (15S)-, mixt. with [3S-

[3R\*[E(1S\*,3S\*,4S\*)],4S\*,5R\*,8S\*,9E,12R\*,14R\*,15S\*,16R\*,18S\*,19S\*,26aR\*]]-5,6,8,11,12,13,14,15,16,17,18,19,24,25,26,26a-hexadecahydro-5,19dihydroxy-

3-[2-(4-hydroxy-3-methoxycyclohexyl)-1-methylethenyl]-14,16-dimethoxy-4,10,12,18-tetramethyl-8-(2-propenyl)-15,19-epoxy-3H-pyrido[2,1-c][1,4]oxaazacyclotricosine-1,7,20,21(4H,23H)-tetrone (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN 15,19-Epoxy-3H-pyrido[2,1-c][1,4]oxaazacyclotricosine-1,7,20,21(4H,23H)-tetrone, 5,6,8,11,12,13,14,15,16,17,18,19,24,25,26,26a-hexadecahydro-5,19-

dihydroxy-3-[2-(4-hydroxy-3-methoxycyclohexyl)-1-methylethenyl]-14,16-dimethoxy-4,10,12,18-tetramethyl-8-(2-propenyl)-, [3S-

[3R\*[E(1S\*,3S\*,4S\*)],4S\*,5R\*,8S\*,9E,12R\*,14R\*,15S\*,16R\*,18S\*,19S\*,26aR\*]]-, mixt. contg. (9CI)

FS STEREOSEARCH

MF C44 H69 N O12 . C20 H24 O7

CI MXS


SR CA

LC STN Files: CA, CAPLUS, DRUGPAT, DRUGUPDATES, TOXCENTER

CM 1

CRN 139713-80-7 CMF C20 H24 O7

Absolute stereochemistry.



CM 2

CRN 104987-11-3 CMF C44 H69 N O12

Absolute stereochemistry.
Double bond geometry as shown.

- 1 REFERENCES IN FILE CA (1962 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

L3 ANSWER 27 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 160625-88-7 REGISTRY

CN Cyclosporin A, mixt. with (15S)-16-hydroxytriptolide (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Triptolide, 16-hydroxy-, (15S)-, mixt. contg. (9CI)

FS PROTEIN SEQUENCE; STEREOSEARCH

MF C62 H111 N11 O12 . C20 H24 O7

CI MXS

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER

\*\*RELATED SEQUENCES AVAILABLE WITH SEQLINK\*\*

CM 1

CRN 139713-80-7 CMF C20 H24 O7

Absolute stereochemistry.

CM 2

CRN 59865-13-3

CMF C62 H111 N11 O12

\*\*RELATED SEQUENCES AVAILABLE WITH SEQLINK\*\*

Absolute stereochemistry.

Double bond geometry as shown.

PAGE 1-C

1 REFERENCES IN FILE CA (1962 TO DATE) 1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

```
L3 ANSWER 28 OF 50 REGISTRY COPYRIGHT 2003 ACS
```

RN 144539-79-7 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one, 3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6-hydroxy-8b-methyl-6a-(1-methylethyl)-, [3bS-

(3b.alpha., 4a.alpha., 5aR\*, 6.alpha., 6a.beta., 7a.beta., 7b.alpha., 8aR\*, 8b.beta.)] - (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Triptolide, (14.alpha.)-

OTHER NAMES:

CN (14.alpha.)-Triptolide

FS STEREOSEARCH

MF C20 H24 O6

SR CA

LC STN Files: BEILSTEIN\*, CA, CAPLUS, CASREACT (\*File contains numerically searchable property data)

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

2 REFERENCES IN FILE CA (1962 TO DATE)

```
L3 ANSWER 29 OF 50 REGISTRY COPYRIGHT 2003 ACS
```

RN 139713-80-7 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one,
3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6-hydroxy-6a-[(1S)-2-hydroxy-1methylethyl]-, (3bS,4aS,5aS,6R,6aR,7aS,7bS,8aS,8bS)- (9CI) (CA INDEX NAME)

#### OTHER CA INDEX NAMES:

CN Triptolide, 16-hydroxy-, (15S)-

#### OTHER NAMES:

CN (15S)-16-Hydroxytriptolide

CN 16-Hydroxytriptolide

CN Trisoxireno[4b, 5:6, 7:8a, 9]phenanthro[1, 2-c] furan-1(3H)-one, 3b, 4, 4a, 6, 6a, 7a, 7b, 8b, 9, 10-decahydro-6-hydroxy-6a-(2-hydroxy-1-methylethyl)-, [3bS-

[3b.alpha., 4a.alpha., 5aR\*, 6.beta., 6a.beta. (R\*), 7a.beta., 7b.alpha., 8aR\*, 8b.alpha.]]-

FS STEREOSEARCH

DR 139601-38-0


MF C20 H24 O7

CI COM

SR CA

LC STN Files: CA, CAPLUS, MEDLINE, TOXCENTER, USPATFULL

## Absolute stereochemistry.



# \*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

19 REFERENCES IN FILE CA (1962 TO DATE)

2 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

L3 ANSWER 30 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 139601-54-0 REGISTRY

CN Triptolide, 16-(acetyloxy)- (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan, triptolide deriv.

MF C22 H26 O8

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 31 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 139601-53-9 REGISTRY

CN Triptolide, 16-iodo- (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan, triptolide deriv.

MF C20 H23 I O6

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



# \*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 32 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 139601-52-8 REGISTRY

CN Triptolide, 16-fluoro- (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan, triptolide deriv.

MF C20 H23 F O6

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



## \*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 33 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 139601-51-7 REGISTRY

CN Triptolide, 16-chloro- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan, triptolide deriv.

MF C20 H23 Cl O6

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 34 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 139601-50-6 REGISTRY

CN Triptolide, 16-methoxy- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan, triptolide deriv.

MF C21 H26 O7

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER

## \*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 35 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 139601-49-3 REGISTRY

CN Triptolid-16-oic acid, ethyl ester (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan, triptolid-16-oic acid deriv.

MF C22 H26 O8

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



# \*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 36 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 139601-48-2 REGISTRY

CN Triptolid-16-oic acid, methyl ester (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan, triptolid-16-oic acid deriv.

MF C21 H24 O8

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



## \*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 37 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 139601-47-1 REGISTRY

CN Triptolid-16-oic acid (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan, triptolid-16-oic acid deriv.

MF C20 H22 O8

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER, USPATFULL



- 2 REFERENCES IN FILE CA (1962 TO DATE)
- 2 REFERENCES IN FILE CAPLUS (1962 TO DATE)

L3 ANSWER 38 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 139601-46-0 REGISTRY

CN Triptolide, 16-oxo- (9CI) (CA INDEX NAME)


OTHER CA INDEX NAMES:

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan, triptolide deriv.

MF C20 H22 O7

SR CA

LC STN Files: CA, CAPLUS, TOXCENTER



- 1 REFERENCES IN FILE CA (1962 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

```
L3 ANSWER 39 OF 50 REGISTRY COPYRIGHT 2003 ACS
```

RN 99694-86-7 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one, 3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6-hydroxy-6a-(1-hydroxy-1-methylethyl)-8b-methyl-, (3bS,4aS,5aS,6R,6aR,7aS,7bS,8aS,8bS)- (9CI)

(CA

INDEX NAME)
OTHER CA INDEX NAMES:

CN Triptolide, 15-hydroxy-

OTHER NAMES:

CN 15-Hydroxytriptolide

CN Triptolidenol

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one, 3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6-hydroxy-6a-(1-hydroxy-1-methylethyl)-8b-methyl-, [3bS-

(3b.alpha., 4a.alpha., 5aR\*, 6.beta., 6a.beta., 7 a.beta., 7b.alpha., 8aR\*, 8b.beta.)]-


FS STEREOSEARCH

MF C20 H24 O7

SR CA

LC STN Files: BIOSIS, CA, CAPLUS, NAPRALERT, TOXCENTER, USPATFULL

Absolute stereochemistry.



#### \*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

14 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 40 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 81520-69-6 REGISTRY

CN Phenanthro[2,3-b:4,4a-b':10,10a-b'']trisoxirene-2,6-diol, dodecahydro-8a-methyl-1a-(1-methylethyl)-,

(la.alpha.,2.beta.,2aS\*,3a.beta

.,4a.beta.,6.alpha.,8a.alpha.,8bS\*,9a.beta.,9b.alpha.)- (9CI) (CA INDEX NAME)

MF C18 H26 O5

LC STN Files: BEILSTEIN\*, CA, CAPLUS
(\*File contains numerically searchable property data)

- 1 REFERENCES IN FILE CA (1962 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

L3ANSWER 41 OF 50 REGISTRY COPYRIGHT 2003 ACS RN 81520-68-5 REGISTRY Phenanthro[2,3-b:4,4a-b':10,10a-b'']trisoxirene-2,6-diol, CN dodecahydro-8a-methyl-la-(1-methylethyl)-, (la.alpha., 2.alpha., 2aS\*, 3a.bet

a., 4a.beta., 6.alpha., 8a.alpha., 8bS\*, 9a.beta., 9b.alpha.) - (9CI) (CA INDEX

NAME)

C18 H26 O5 MF

LC STN Files: BEILSTEIN\*, CA, CAPLUS (\*File contains numerically searchable property data)

- 1 REFERENCES IN FILE CA (1962 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

```
L3 ANSWER 42 OF 50 REGISTRY COPYRIGHT 2003 ACS
```

RN 74409-90-8 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one, 3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6,10-dihydroxy-8b-methyl-6a-(1-methylethyl)-, (3bS,4aS,5aS,6R,6aR,7aS,7bS,8aS,8bS,10R)- (9CI) (CA INDEX

NAME)

OTHER CA INDEX NAMES:

CN Triptolide, 2-hydroxy-, (2.alpha.)-

OTHER NAMES:

CN 2.alpha.-Hydroxytriptolide

CN Tripterolide

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one, 3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6,10-dihydroxy-8b-methyl-6a-(1-methylethyl)-, [3bS-

(3b.alpha., 4a.alpha., 5aR\*, 6.beta., 6a.beta., 7a.beta., 7b.alpha., 8aR\*, 8b.beta., 10.alpha.)]-

FS STEREOSEARCH

MF C20 H24 O7

LC STN Files: BEILSTEIN\*, CA, CAPLUS, NAPRALERT (\*File contains numerically searchable property data)

Absolute stereochemistry.

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

1 REFERENCES IN FILE CA (1962 TO DATE)

```
L3 ANSWER 43 OF 50 REGISTRY COPYRIGHT 2003 ACS
```

RN 73543-06-3 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one,
3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6-hydroxy-8b-methyl-6a-(1methylethyl)-, (3bR,4aR,5aR,6R,6aS,7aR,7bR,8aR,8bR)-rel- (9CI) (CA
INDEX

NAME)

OTHER CA INDEX NAMES:

CN Triptolide, (14.alpha.)-(.+-.)-

OTHER NAMES:

CN (.+-.)-14-Epitriptolide

FS STEREOSEARCH

MF C20 H24 O6

LC STN Files: BEILSTEIN\*, CA, CAPLUS, CHEMCATS
(\*File contains numerically searchable property data)

Relative stereochemistry.

- 3 REFERENCES IN FILE CA (1962 TO DATE)
- 3 REFERENCES IN FILE CAPLUS (1962 TO DATE)

```
L3 ANSWER 44 OF 50 REGISTRY COPYRIGHT 2003 ACS
```

RN 73414-46-7 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one,
3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6-hydroxy-8b-methyl-6a-(1methylethyl)-, (3bR,4aR,5aR,6S,6aS,7aR,7bR,8aR,8bR)-rel- (9CI) (CA
INDEX

NAME)

NATE /

OTHER CA INDEX NAMES:

CN Triptolide, (.+-.)-

OTHER NAMES:

CN (.+-.)-Triptolide

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one, 3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6-hydroxy-8b-methyl-6a-(1-methylethyl)-,


(3b.alpha., 4a.alpha., 5aR\*, 6.beta., 6a.beta., 7a.beta., 7b.alph a., 8aR\*, 8b.beta.) -

FS STEREOSEARCH

MF C20 H24 O6

LC STN Files: BEILSTEIN\*, BIOSIS, CA, CAPLUS, TOXCENTER (\*File contains numerically searchable property data)

Relative stereochemistry.



\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

8 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 45 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 70494-58-5 REGISTRY

CN Phenanthro[2,3-b:4,4a-b':10,10a-b'']trisoxirene-5-carboxylic acid, dodecahydro-2-hydroxy-5,8a-dimethyl-1a-(1-methylethyl)-, methyl ester, [1aS-

(la.alpha.,2.beta.,2aR\*,3a.alpha.,4a.beta.,5.beta.,8a.alpha.,8bR\*,9a.beta.,9b.alpha.)]- (9CI) (CA INDEX NAME)

MF C21 H30 O6

LC STN Files: BEILSTEIN\*, CA, CAPLUS, TOXCENTER

(\*File contains numerically searchable property data)

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

3 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 46 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 70494-57-4 REGISTRY

CN Phenanthro[2,3-b:4,4a-b':10,10a-b'']trisoxirene-5-carboxylic acid, dodecahydro-2-hydroxy-5,8a-dimethyl-1a-(1-methylethyl)-, methyl ester, [1aS-

(1a.alpha.,2.alpha.,2aS\*,3a.beta.,4a.beta.,5.beta.,8a.alpha.,8bR\*,9a.beta.,9b.alpha.)]- (9CI) (CA INDEX NAME)

MF C21 H30 O6

LC STN Files: BEILSTEIN\*, CA, CAPLUS, TOXCENTER (\*File contains numerically searchable property data)

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

4 REFERENCES IN FILE CA (1962 TO DATE)

L3 ANSWER 47 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 70473-69-7 REGISTRY

CN Phenanthro[2,3-b:4,4a-b':10,10a-b'']trisoxirene-5-carboxylic acid, dodecahydro-2-hydroxy-5,8a-dimethyl-1a-(1-methylethyl)-, methyl ester, [1aS-

(la.alpha.,2.alpha.,2aR\*,3a.alpha.,4a.beta.,5.beta.,8a.alpha.,8bR\*,9a.beta.,9b.alpha.)]- (9CI) (CA INDEX NAME)

MF C21 H30 O6

LC STN Files: BEILSTEIN\*, CA, CAPLUS, TOXCENTER (\*File contains numerically searchable property data)

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

4 REFERENCES IN FILE CA (1962 TO DATE)

ANSWER 48 OF 50 REGISTRY COPYRIGHT 2003 ACS L3 70329-55-4 REGISTRY RNPhenanthro[2,3-b:4,4a-b':10,10a-b'']trisoxirene-2,6-diol, CN dodecahydro-8a-methyl-1a-(1-methylethyl)-, (la.alpha., 2.beta., 2aR\*, 3a.alph a., 4a.alpha., 6.beta., 8a.beta., 8bS\*, 9a.alpha., 9b.alpha.) - (9CI) (CA INDEX NAME) C18 H26 O5 MF BEILSTEIN\*, CA, CAPLUS LC STN Files:

(\*File contains numerically searchable property data)

- 1 REFERENCES IN FILE CA (1962 TO DATE)
- 1 REFERENCES IN FILE CAPLUS (1962 TO DATE)

L3 ANSWER 49 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 38748-32-2 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one,
3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6-hydroxy-8b-methyl-6a-(1methylethyl)-, (3bS,4aS,5aS,6R,6aR,7aS,7bS,8aS,8bS)- (9CI) (CA INDEX NAME)

OTHER CA INDEX NAMES:

CN Triptolide

OTHER NAMES:

CN (-)-Triptolide

CN PG 490

CN Triptolid

CN [3bS-

(3b.alpha., 4a.alpha., 5aR\*, 6.beta., 6a.beta., 7a.beta., 7b.alpha., 8aR\*, 8b.beta.)]-3b, 4, 4a, 6, 6a, 7a, 7b, 8b, 9, 10-Decahydro-6-hydroxy-8b-methyl-6a-(1-methylethyl)trisoxireno[4b, 5:6, 7:8a, 9]phenanthro[1, 2-c]furan-1(3H)-one

FS STEREOSEARCH

MF C20 H24 O6

LC STN Files: ADISINSIGHT, AGRICOLA, ANABSTR, BEILSTEIN\*, BIOBUSINESS, BIOSIS, BIOTECHNO, CA, CANCERLIT, CAPLUS, CASREACT, CBNB, CHEMCATS,

CIN,

CSCHEM, DDFU, DRUGU, EMBASE, IFICDB, IFIPAT, IFIUDB, IPA, MEDLINE, NAPRALERT, PROMT, RTECS\*, SYNTHLINE, TOXCENTER, USPAT2, USPATFULL (\*File contains numerically searchable property data)

Absolute stereochemistry. Rotation (-).

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

192 REFERENCES IN FILE CA (1962 TO DATE)

10 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

L3 ANSWER 50 OF 50 REGISTRY COPYRIGHT 2003 ACS

RN 38647-10-8 REGISTRY

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one, 3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6,10-dihydroxy-8b-methyl-6a-(1-methylethyl)-, (3bS,4aS,5aS,6R,6aR,7aS,7bS,8aS,8bS,10S)- (9CI) (CA INDEX

NAME)

OTHER CA INDEX NAMES:

CN Triptolide, 2-hydroxy-, (2.beta.)-

OTHER NAMES:

CN NSC 163063

CN Tripdiolide

CN Triptodiolide

CN Trisoxireno[4b,5:6,7:8a,9]phenanthro[1,2-c]furan-1(3H)-one, 3b,4,4a,6,6a,7a,7b,8b,9,10-decahydro-6,10-dihydroxy-8b-methyl-6a-(1-methylethyl)-, [3bS-

(3b.alpha., 4a.alpha., 5aR\*, 6.beta., 6a.beta., 7a.beta., 7b.alpha., 8aR\*, 8b.beta., 10.beta.)]-

FS STEREOSEARCH

MF C20 H24 O7

LC STN Files: AGRICOLA, BEILSTEIN\*, BIOBUSINESS, BIOSIS, CA, CANCERLIT, CAPLUS, CHEMCATS, CIN, CSCHEM, DDFU, DRUGU, IFICDB, IFIPAT, IFIUDB, IPA,

MEDLINE, NAPRALERT, PHAR, PROMT, RTECS\*, TOXCENTER, USPATFULL (\*File contains numerically searchable property data)


Absolute stereochemistry. Rotation (-).

\*\*PROPERTY DATA AVAILABLE IN THE 'PROP' FORMAT\*\*

53 REFERENCES IN FILE CA (1962 TO DATE)

3 REFERENCES TO NON-SPECIFIC DERIVATIVES IN FILE CA

=> d l1; d his; log y L1 HAS NO ANSWERS L1 STR



Structure attributes must be viewed using STN Express query preparation.

(FILE 'HOME' ENTERED AT 15:25:16 ON 04 MAR 2003)

FILE 'REGISTRY' ENTERED AT 15:25:34 ON 04 MAR 2003

L1 STRUCTURE UPLOADED

L2 0 S L1

L3 50 S L1 FUL

FILE 'CAPLUS' ENTERED AT 15:26:10 ON 04 MAR 2003

L4 229 S L3

FILE 'STNGUIDE' ENTERED AT 15:26:44 ON 04 MAR 2003

FILE 'REGISTRY' ENTERED AT 15:27:02 ON 04 MAR 2003

FILE 'REGISTRY' ENTERED AT 15:27:28 ON 04 MAR 2003

FILE 'STNGUIDE' ENTERED AT 15:28:50 ON 04 MAR 2003

FILE 'REGISTRY' ENTERED AT 15:30:48 ON 04 MAR 2003 SAVE L3 LIOTTA/A

FILE 'STNGUIDE' ENTERED AT 15:31:02 ON 04 MAR 2003

FILE 'REGISTRY' ENTERED AT 15:43:40 ON 04 MAR 2003

L5 STRUCTURE UPLOADED

L6 3 S L5 SAM SUB=L3

L7 50 S L5 FUL SUB=L3

L8 STRUCTURE UPLOADED

FILE 'CAPLUS' ENTERED AT 15:47:16 ON 04 MAR 2003

#### FILE 'REGISTRY' ENTERED AT 15:47:45 ON 04 MAR 2003

SINCE FILE TOTAL ENTRY SESSION COST IN U.S. DOLLARS

84.80 311.99 FULL ESTIMATED COST

STN INTERNATIONAL LOGOFF AT 15:48:39 ON 04 MAR 2003